



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/2006	492.39	125.5	121.6	0.00
1/2/2006	492.40	137.5	118.8	0.00
1/3/2006	492.45	204.0	118.9	0.20
1/4/2006	492.55	321.2	206.9	0.00
1/5/2006	492.56	297.0	333.4	0.00
1/6/2006	492.31	18.8	314.8	0.00
1/7/2006	492.41	222.7	83.4	0.00
1/8/2006	492.49	239.4	128.8	0.00
1/9/2006	492.46	179.3	234.7	0.00
1/10/2006	492.40	222.4	329.1	0.03
1/11/2006	492.45	385.1	331.5	0.74
1/12/2006	492.50	527.3	459.5	0.00
1/13/2006	492.52	525.9	477.5	0.75
1/14/2006	492.78	808.7	478.0	0.52
1/15/2006	492.98	807.8	491.2	0.00
1/16/2006	492.99	646.9	620.3	0.00
1/17/2006	492.93	871.3	822.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/2006	494.92	3,806.2	865.0	0.62
1/19/2006	496.32	3,213.1	927.5	0.00
1/20/2006	496.37	1,356.3	1,097.4	0.00
1/21/2006	495.57	1,208.1	2,806.7	0.03
1/22/2006	494.52	1,252.3	2,868.0	0.00
1/23/2006	494.98	3,256.3	2,694.9	1.59
1/24/2006	497.88	5,896.5	1,045.5	0.00
1/25/2006	500.40	5,790.0	994.4	0.00
1/26/2006	501.30	3,190.7	1,139.3	0.00
1/27/2006	500.89	2,164.1	2,964.8	0.00
1/28/2006	499.57	1,391.6	3,839.4	0.00
1/29/2006	498.64	1,218.5	2,978.8	0.55
1/30/2006	497.39	1,340.6	3,799.7	0.00
1/31/2006	495.90	1,329.6	3,882.2	0.22
2/1/2006	494.64	426.6	2,640.8	0.00
2/2/2006	493.95	1,052.5	2,007.5	0.00
2/3/2006	493.91	1,139.7	1,175.9	0.41
2/4/2006	493.73	1,481.5	1,823.4	0.61
2/5/2006	494.06	2,254.7	1,883.4	0.04
2/6/2006	494.19	2,065.3	1,965.9	0.00
2/7/2006	493.45	1,617.6	2,798.3	0.00
2/8/2006	492.84	1,306.9	2,079.4	0.00
2/9/2006	492.61	1,167.2	1,463.7	0.02
2/10/2006	492.39	1,078.1	1,368.9	0.00
2/11/2006	492.41	1,028.1	961.4	0.09
2/12/2006	492.43	981.8	939.4	0.01
2/13/2006	492.45	967.2	939.6	0.01
2/14/2006	492.42	901.0	939.5	0.00
2/15/2006	492.36	849.4	939.1	0.00
2/16/2006	492.25	789.7	890.2	0.00
2/17/2006	492.82	1,383.5	487.6	0.80
2/18/2006	493.70	1,818.6	480.4	0.01
2/19/2006	494.21	1,697.9	942.6	0.00
2/20/2006	494.15	1,347.3	1,412.1	0.08
2/21/2006	493.94	1,114.1	1,420.2	0.00
2/22/2006	493.69	1,060.9	1,418.3	0.00
2/23/2006	493.39	993.2	1,416.5	0.00
2/24/2006	493.32	731.1	1,005.0	0.00
2/25/2006	493.24	812.7	946.1	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/2006	493.11	751.9	945.3	0.00
2/27/2006	492.92	661.0	898.5	0.00
2/28/2006	493.00	652.6	491.5	0.00
3/1/2006	493.09	592.3	479.1	0.00
3/2/2006	493.16	615.0	479.4	0.00
3/3/2006	493.22	573.4	479.6	0.00
3/4/2006	493.24	511.3	479.7	0.00
3/5/2006	493.24	489.9	479.7	0.00
3/6/2006	493.23	463.4	479.7	0.30
3/7/2006	493.22	461.3	479.7	0.00
3/8/2006	493.17	419.5	479.6	0.00
3/9/2006	493.11	394.8	479.4	0.00
3/10/2006	493.22	612.1	479.6	0.70
3/11/2006	493.31	623.5	479.8	0.00
3/12/2006	493.37	608.5	480.0	0.05
3/13/2006	493.86	1,260.3	480.9	0.33
3/14/2006	496.14	3,633.6	535.4	0.13
3/15/2006	497.66	4,069.3	967.3	0.00
3/16/2006	498.50	2,753.1	986.2	0.00
3/17/2006	498.90	1,819.2	949.1	0.00
3/18/2006	499.36	1,438.6	518.1	0.00
3/19/2006	499.73	1,282.2	498.8	0.00
3/20/2006	499.99	1,072.3	457.4	0.00
3/21/2006	500.47	994.4	79.0	0.65
3/22/2006	500.94	1,088.0	67.8	0.00
3/23/2006	501.32	751.6	68.1	0.00
3/24/2006	501.65	861.7	68.6	0.00
3/25/2006	501.95	698.5	68.9	0.00
3/26/2006	502.20	607.6	69.1	0.00
3/27/2006	502.44	568.2	69.4	0.00
3/28/2006	502.65	455.9	69.5	0.04
3/29/2006	502.86	517.0	69.8	0.00
3/30/2006	503.04	567.8	70.0	0.00
3/31/2006	503.80	1,051.5	70.4	0.00
4/1/2006	503.38	65.3	70.5	0.21
4/2/2006	503.53	387.6	70.5	0.00
4/3/2006	503.72	479.0	70.7	0.51
4/4/2006	503.90	422.1	70.8	0.00
4/5/2006	504.07	502.7	71.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/2006	504.23	428.2	71.2	0.23
4/7/2006	504.39	442.2	71.4	0.12
4/8/2006	504.67	665.7	71.6	0.75
4/9/2006	504.95	685.9	71.9	0.05
4/10/2006	505.16	529.8	72.1	0.00
4/11/2006	505.34	482.5	72.2	0.00
4/12/2006	505.47	409.2	72.3	0.00
4/13/2006	505.63	452.5	72.5	0.26
4/14/2006	505.75	363.4	72.6	0.00
4/15/2006	505.86	328.9	72.7	0.00
4/16/2006	505.99	368.1	72.8	0.00
4/17/2006	506.09	307.3	72.8	0.17
4/18/2006	506.21	320.4	72.9	0.00
4/19/2006	506.30	301.3	73.0	0.25
4/20/2006	506.38	280.8	73.1	0.00
4/21/2006	506.54	363.4	73.2	0.16
4/22/2006	506.72	586.0	73.3	0.49
4/23/2006	506.96	616.0	73.5	0.03
4/24/2006	507.15	528.3	71.9	0.02
4/25/2006	507.35	519.2	51.4	0.00
4/26/2006	507.58	516.2	50.4	0.41
4/27/2006	507.81	702.4	50.6	0.00
4/28/2006	507.99	516.9	50.7	0.00
4/29/2006	508.15	440.2	50.8	0.00
4/30/2006	508.27	358.4	50.9	0.02
5/1/2006	508.41	372.4	51.0	0.37
5/2/2006	508.55	414.2	51.0	0.55
5/3/2006	508.81	680.4	51.2	0.11
5/4/2006	509.08	731.8	51.4	0.00
5/5/2006	509.31	594.7	51.5	0.00
5/6/2006	509.48	500.8	51.6	0.00
5/7/2006	509.64	459.5	51.7	0.20
5/8/2006	509.79	445.3	51.8	0.08
5/9/2006	509.89	327.4	51.9	0.00
5/10/2006	510.01	377.8	52.0	0.05
5/11/2006	510.28	714.1	52.1	0.55
5/12/2006	510.64	957.2	52.3	0.15
5/13/2006	510.95	777.2	52.5	0.00
5/14/2006	511.17	674.2	52.7	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/2006	511.37	661.9	52.8	0.14
5/16/2006	511.55	549.6	53.0	0.05
5/17/2006	511.70	452.4	53.1	0.03
5/18/2006	511.83	398.7	53.1	0.00
5/19/2006	511.96	365.6	53.2	0.00
5/20/2006	512.08	395.7	53.3	0.00
5/21/2006	512.17	324.5	53.4	0.02
5/22/2006	512.26	322.7	53.4	0.00
5/23/2006	512.34	291.6	53.5	0.00
5/24/2006	512.41	249.8	53.5	0.00
5/25/2006	512.62	774.8	53.6	1.17
5/26/2006	514.40	4,225.8	54.3	1.84
5/27/2006	517.02	9,077.2	991.5	0.00
5/28/2006	519.20	6,992.2	1,138.7	0.00
5/29/2006	520.09	6,198.4	2,788.7	0.00
5/30/2006	519.38	2,262.1	4,513.8	0.00
5/31/2006	518.24	1,789.5	5,526.0	0.00
6/1/2006	516.92	1,233.1	5,534.3	0.00
6/2/2006	515.98	1,164.8	3,458.5	0.00
6/3/2006	515.62	1,304.3	2,120.4	0.53
6/4/2006	515.57	1,055.6	1,141.8	0.00
6/5/2006	515.62	856.8	623.2	0.07
6/6/2006	515.58	821.8	1,017.7	0.00
6/7/2006	515.42	660.8	1,118.2	0.00
6/8/2006	515.43	770.8	622.5	0.00
6/9/2006	515.44	579.1	551.7	0.00
6/10/2006	515.45	559.1	551.8	0.00
6/11/2006	515.44	586.5	551.8	0.00
6/12/2006	515.73	1,258.4	552.6	0.63
6/13/2006	515.76	1,059.6	1,049.3	0.00
6/14/2006	515.66	875.3	1,119.9	0.00
6/15/2006	515.49	619.2	1,059.7	0.00
6/16/2006	515.46	545.5	563.7	0.00
6/17/2006	515.43	489.6	551.8	0.00
6/18/2006	515.45	581.0	551.8	0.75
6/19/2006	515.53	773.5	575.6	0.40
6/20/2006	515.37	577.0	982.3	0.00
6/21/2006	515.46	533.7	312.7	0.00
6/22/2006	515.46	590.6	542.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/2006	515.50	620.4	607.4	1.42
6/24/2006	515.30	528.0	1,102.4	0.03
6/25/2006	515.34	659.3	622.0	0.00
6/26/2006	515.31	514.3	551.3	0.00
6/27/2006	515.31	509.3	537.3	0.40
6/28/2006	515.35	648.9	533.9	0.00
6/29/2006	515.38	621.6	534.0	0.14
6/30/2006	515.40	612.8	534.2	0.00
7/1/2006	515.42	589.0	534.3	0.03
7/2/2006	515.42	534.4	534.4	0.00
7/3/2006	515.42	534.4	534.4	0.00
7/4/2006	515.42	547.1	534.4	0.00
7/5/2006	515.51	755.6	534.7	0.95
7/6/2006	515.37	320.8	547.8	0.20
7/7/2006	515.36	434.9	534.5	0.00
7/8/2006	515.30	267.1	375.6	0.00
7/9/2006	515.28	123.5	165.5	0.00
7/10/2006	515.26	102.1	160.4	0.00
7/11/2006	515.24	104.1	154.2	0.00
7/12/2006	515.27	157.8	84.0	0.61
7/13/2006	515.36	334.1	80.3	0.26
7/14/2006	515.52	530.9	80.4	0.60
7/15/2006	515.60	604.3	478.4	0.00
7/16/2006	515.55	425.6	535.2	0.00
7/17/2006	515.46	303.8	534.8	0.00
7/18/2006	515.38	131.7	297.5	0.00
7/19/2006	515.41	199.2	137.5	0.00
7/20/2006	515.41	144.2	122.4	0.00
7/21/2006	515.42	193.7	122.4	0.02
7/22/2006	515.74	888.7	140.5	1.40
7/23/2006	515.88	906.8	564.7	0.00
7/24/2006	515.75	706.9	1,096.9	0.00
7/25/2006	515.55	521.1	1,119.2	0.00
7/26/2006	515.38	276.7	594.7	0.00
7/27/2006	515.36	235.3	274.7	0.00
7/28/2006	515.36	263.4	267.0	0.05
7/29/2006	515.34	208.3	267.0	0.24
7/30/2006	515.35	187.0	103.6	0.00
7/31/2006	515.37	137.0	80.3	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/2006	515.39	116.9	80.3	0.00
8/2/2006	515.40	111.7	80.3	0.07
8/3/2006	515.37	145.5	243.7	0.00
8/4/2006	515.35	199.4	267.0	0.00
8/5/2006	515.27	52.0	248.6	0.00
8/6/2006	515.25	27.2	85.3	0.00
8/7/2006	515.25	78.4	80.2	0.00
8/8/2006	515.24	56.4	80.2	0.00
8/9/2006	515.26	146.0	80.2	0.00
8/10/2006	515.33	268.3	80.3	0.00
8/11/2006	515.43	350.5	80.3	1.20
8/12/2006	515.54	367.9	98.7	0.00
8/13/2006	515.61	479.7	262.6	0.00
8/14/2006	515.61	304.2	276.1	0.00
8/15/2006	515.71	569.2	346.7	0.00
8/16/2006	515.81	750.7	573.7	0.30
8/17/2006	515.71	787.1	1,108.0	0.00
8/18/2006	515.50	522.7	1,059.9	0.00
8/19/2006	515.42	412.0	563.6	0.00
8/20/2006	515.32	250.2	551.4	0.00
8/21/2006	515.27	395.1	527.5	0.22
8/22/2006	515.23	203.9	263.0	0.09
8/23/2006	515.25	183.5	88.0	0.00
8/24/2006	515.26	107.6	80.2	0.00
8/25/2006	515.26	80.2	80.2	0.00
8/26/2006	515.26	80.2	80.2	0.00
8/27/2006	515.26	80.2	80.2	0.00
8/28/2006	515.26	82.0	80.2	0.05
8/29/2006	515.27	113.7	78.3	0.15
8/30/2006	515.32	180.4	51.1	0.48
8/31/2006	515.34	131.4	49.1	0.00
9/1/2006	515.39	162.3	49.2	0.00
9/2/2006	515.38	47.3	49.2	0.00
9/3/2006	515.39	76.6	49.2	0.00
9/4/2006	515.39	46.0	49.2	0.00
9/5/2006	515.38	23.1	49.2	0.00
9/6/2006	515.38	49.2	49.2	0.00
9/7/2006	515.38	49.2	49.2	0.00
9/8/2006	515.38	63.8	49.2	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/2006	515.48	290.9	49.2	0.70
9/10/2006	515.48	163.1	131.5	0.17
9/11/2006	515.51	206.3	193.4	0.12
9/12/2006	515.40	222.2	535.5	0.03
9/13/2006	515.37	398.1	551.5	0.49
9/14/2006	515.28	348.7	551.3	0.00
9/15/2006	515.21	306.3	550.9	0.00
9/16/2006	515.12	322.5	550.6	0.00
9/17/2006	514.99	196.1	550.2	0.00
9/18/2006	514.89	191.0	550.6	0.00
9/19/2006	514.77	226.1	549.2	0.21
9/20/2006	514.65	190.5	548.7	0.00
9/21/2006	514.50	106.9	548.1	0.00
9/22/2006	514.34	240.9	547.6	0.10
9/23/2006	515.41	3,024.2	549.9	3.00
9/24/2006	517.46	6,586.6	557.1	1.50
9/25/2006	519.66	7,444.4	566.2	0.00
9/26/2006	520.79	4,742.7	571.9	0.00
9/27/2006	521.24	2,311.8	768.1	0.00
9/28/2006	520.89	1,556.4	2,773.6	0.55
9/29/2006	520.60	1,803.5	2,861.2	0.00
9/30/2006	520.34	1,903.7	2,856.6	0.00
10/1/2006	519.86	1,316.7	2,849.8	0.10
10/2/2006	519.30	1,024.3	2,842.0	0.00
10/3/2006	518.59	395.8	2,830.6	0.00
10/4/2006	517.94	1,172.8	3,062.2	0.00
10/5/2006	516.76	300.1	4,113.6	0.00
10/6/2006	515.77	767.4	3,892.2	0.10
10/7/2006	514.61	637.0	3,752.5	0.00
10/8/2006	514.13	747.0	1,795.2	0.00
10/9/2006	513.74	452.3	1,628.4	0.00
10/10/2006	513.34	639.0	1,625.1	0.00
10/11/2006	512.94	628.1	1,509.3	0.05
10/12/2006	512.89	287.4	564.1	0.11
10/13/2006	512.85	423.2	541.4	0.00
10/14/2006	512.77	322.4	541.2	0.00
10/15/2006	512.71	374.0	540.9	0.00
10/16/2006	512.65	384.3	540.7	0.00
10/17/2006	512.64	565.5	623.6	1.20

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/2006	512.52	1,069.0	1,564.6	0.00
10/19/2006	512.21	1,115.2	1,613.4	0.00
10/20/2006	512.09	1,159.8	1,611.2	0.86
10/21/2006	512.00	1,463.4	1,610.5	0.00
10/22/2006	511.90	1,210.9	1,609.3	0.00
10/23/2006	511.37	1,057.9	2,570.9	0.00
10/24/2006	510.62	748.9	2,696.7	0.00
10/25/2006	510.02	674.1	2,276.5	0.00
10/26/2006	509.60	674.0	1,491.6	0.00
10/27/2006	509.47	898.0	1,076.3	0.43
10/28/2006	510.61	3,584.0	1,082.0	1.13
10/29/2006	512.24	4,795.2	1,091.1	0.00
10/30/2006	512.83	3,551.6	1,637.7	0.00
10/31/2006	512.53	1,969.2	2,780.9	0.00
11/1/2006	511.70	1,533.0	3,770.0	0.37
11/2/2006	510.73	994.3	3,773.3	0.00
11/3/2006	509.71	1,161.6	3,749.3	0.00
11/4/2006	508.57	1,074.8	3,724.1	0.00
11/5/2006	507.45	869.2	3,694.1	0.00
11/6/2006	506.21	634.5	3,660.0	0.00
11/7/2006	505.14	1,281.4	3,634.1	1.10
11/8/2006	504.30	1,641.4	3,609.2	0.04
11/9/2006	503.35	1,623.6	3,584.7	0.00
11/10/2006	502.21	1,079.4	3,554.0	0.00
11/11/2006	500.85	861.6	3,518.6	0.20
11/12/2006	500.54	2,192.6	3,497.8	0.00
11/13/2006	498.18	3.6	3,290.9	0.00
11/14/2006	497.96	480.4	1,125.6	0.00
11/15/2006	497.83	881.0	983.2	0.35
11/16/2006	499.11	3,012.5	989.1	1.26
11/17/2006	501.00	4,511.9	1,002.1	0.12
11/18/2006	502.03	3,499.9	1,012.8	0.00
11/19/2006	502.47	2,221.2	1,018.4	0.00
11/20/2006	502.73	1,486.6	1,020.8	0.04
11/21/2006	502.14	1,433.4	2,691.6	0.00
11/22/2006	500.61	620.4	3,959.8	0.00
11/23/2006	498.90	748.2	3,975.5	0.00
11/24/2006	497.07	509.9	3,918.5	0.00
11/25/2006	495.56	376.0	3,015.5	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/2006	494.24	662.1	2,863.4	0.00
11/27/2006	493.26	515.1	1,971.7	0.00
11/28/2006	492.67	469.4	1,440.0	0.00
11/29/2006	492.33	530.9	997.4	0.03
11/30/2006	492.31	632.8	534.6	0.02
12/1/2006	492.57	849.2	477.4	1.10
12/2/2006	492.98	1,355.6	884.7	0.02
12/3/2006	493.21	1,337.6	944.9	0.00
12/4/2006	493.15	918.9	945.3	0.00
12/5/2006	492.97	701.0	944.3	0.00
12/6/2006	492.72	546.9	942.5	0.00
12/7/2006	492.47	543.0	940.5	0.00
12/8/2006	492.18	500.8	938.3	0.00
12/9/2006	492.20	616.5	534.2	0.00
12/10/2006	492.19	461.8	476.6	0.00
12/11/2006	492.16	441.0	476.5	0.00
12/12/2006	492.12	417.2	476.4	0.00
12/13/2006	492.13	479.3	476.4	0.33
12/14/2006	492.11	457.7	476.4	0.00
12/15/2006	492.15	487.7	414.3	0.00
12/16/2006	492.31	610.0	393.1	0.00
12/17/2006	492.44	590.0	394.1	0.00
12/18/2006	492.39	426.9	466.9	0.00
12/19/2006	492.30	354.1	470.1	0.00
12/20/2006	492.39	491.6	397.3	0.00
12/21/2006	492.48	542.6	394.6	0.12
12/22/2006	492.64	633.9	403.6	0.31
12/23/2006	492.71	593.1	475.8	0.09
12/24/2006	492.79	603.6	478.3	0.00
12/25/2006	492.85	652.2	478.5	0.00
12/26/2006	493.81	1,793.7	480.4	0.73
12/27/2006	494.91	2,249.8	522.9	0.00
12/28/2006	494.71	1,737.8	2,188.5	0.00
12/29/2006	493.92	1,145.9	2,374.4	0.00
12/30/2006	492.95	865.2	2,298.1	0.00
12/31/2006	492.99	978.4	731.0	0.60