



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/2009	497.04	512.2	2,925.7	0.00
1/2/2009	495.58	306.3	3,008.7	0.00
1/3/2009	493.83	213.2	2,989.7	0.00
1/4/2009	492.85	387.7	1,756.8	0.05
1/5/2009	492.82	470.8	555.6	0.07
1/6/2009	492.43	331.0	882.7	0.08
1/7/2009	492.63	759.0	496.9	0.73
1/8/2009	492.99	1,013.3	478.6	0.05
1/9/2009	493.33	1,016.0	479.6	0.00
1/10/2009	493.04	787.5	1,283.8	0.08
1/11/2009	492.83	1,000.7	1,409.2	0.60
1/12/2009	492.56	976.6	1,406.5	0.00
1/13/2009	492.23	898.1	1,364.8	0.00
1/14/2009	492.09	771.7	911.3	0.00
1/15/2009	492.27	781.4	489.1	0.00
1/16/2009	492.36	646.8	477.0	0.00
1/17/2009	492.39	534.4	477.1	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/2009	492.40	502.8	477.2	0.00
1/19/2009	492.40	473.2	477.2	0.00
1/20/2009	492.35	408.0	477.1	0.00
1/21/2009	492.28	375.3	476.9	0.00
1/22/2009	492.19	334.5	476.7	0.00
1/23/2009	492.10	339.4	456.2	0.00
1/24/2009	492.24	408.5	173.4	0.00
1/25/2009	492.32	287.7	153.4	0.00
1/26/2009	492.36	227.6	153.6	0.00
1/27/2009	492.40	459.5	153.8	0.00
1/28/2009	495.54	4,486.5	159.1	2.00
1/29/2009	498.90	6,103.1	168.0	0.00
1/30/2009	501.04	4,521.5	174.5	0.00
1/31/2009	502.39	3,190.4	178.5	0.00
2/1/2009	503.22	2,116.8	181.0	0.00
2/2/2009	504.01	1,928.7	182.9	0.00
2/3/2009	504.21	1,831.0	1,742.1	0.02
2/4/2009	503.25	1,577.5	3,911.2	0.50
2/5/2009	501.49	1,164.5	4,920.6	0.00
2/6/2009	499.45	1,000.7	4,977.7	0.00
2/7/2009	497.43	741.1	4,538.8	0.00
2/8/2009	495.64	873.2	3,932.5	0.00
2/9/2009	493.72	622.7	3,655.9	0.00
2/10/2009	492.87	653.0	1,950.6	0.03
2/11/2009	493.09	1,222.4	759.9	0.69
2/12/2009	494.24	2,149.4	481.4	0.42
2/13/2009	493.73	1,686.3	2,829.5	0.00
2/14/2009	493.04	1,633.6	2,562.9	0.00
2/15/2009	492.29	1,210.5	2,321.8	0.00
2/16/2009	492.47	1,169.2	689.7	0.00
2/17/2009	492.19	807.8	1,239.1	0.00
2/18/2009	492.33	887.2	610.3	0.45
2/19/2009	492.66	950.1	477.6	0.00
2/20/2009	492.57	725.1	882.9	0.00
2/21/2009	492.41	711.0	939.8	0.00
2/22/2009	492.47	725.9	592.7	0.27
2/23/2009	492.62	712.2	477.7	0.00
2/24/2009	492.39	496.8	882.0	0.00
2/25/2009	492.34	570.1	598.2	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/2009	492.41	596.6	477.1	0.00
2/27/2009	492.60	775.2	516.2	0.97
2/28/2009	492.91	1,302.7	923.3	0.07
3/1/2009	493.20	1,398.7	944.9	0.34
3/2/2009	493.40	1,289.8	946.6	0.00
3/3/2009	493.46	1,072.7	947.5	0.00
3/4/2009	493.44	930.2	947.6	0.00
3/5/2009	493.33	787.0	946.9	0.00
3/6/2009	493.18	711.6	945.9	0.00
3/7/2009	493.01	672.2	944.5	0.00
3/8/2009	492.76	568.1	942.8	0.00
3/9/2009	492.64	731.5	941.5	0.59
3/10/2009	492.87	767.7	280.0	0.00
3/11/2009	493.37	830.3	60.2	0.27
3/12/2009	493.84	836.0	60.7	0.02
3/13/2009	494.27	780.3	61.1	0.07
3/14/2009	494.65	720.2	61.5	0.09
3/15/2009	495.12	832.2	61.9	0.21
3/16/2009	495.58	858.6	61.6	0.00
3/17/2009	496.00	804.8	51.0	0.00
3/18/2009	496.39	739.5	50.5	0.00
3/19/2009	496.73	668.4	50.8	0.00
3/20/2009	497.04	615.4	51.0	0.00
3/21/2009	497.31	560.5	51.3	0.00
3/22/2009	497.58	543.9	51.5	0.00
3/23/2009	497.79	453.0	51.7	0.00
3/24/2009	498.01	460.8	51.8	0.00
3/25/2009	498.25	512.3	52.0	0.28
3/26/2009	498.58	655.2	52.3	0.54
3/27/2009	499.09	989.9	52.6	0.04
3/28/2009	499.81	1,430.0	53.1	0.20
3/29/2009	500.91	2,125.7	53.9	0.27
3/30/2009	502.04	2,327.7	54.8	0.00
3/31/2009	502.95	2,040.2	55.6	0.00
4/1/2009	503.63	1,602.4	56.2	0.03
4/2/2009	504.19	1,442.3	56.7	0.00
4/3/2009	505.84	3,393.3	57.6	1.27
4/4/2009	507.81	4,543.7	58.9	0.00
4/5/2009	509.40	4,070.0	60.2	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/2009	510.32	2,691.6	61.0	0.18
4/7/2009	511.06	2,045.8	61.5	0.10
4/8/2009	511.65	1,700.9	62.0	0.00
4/9/2009	512.14	1,433.8	62.4	0.00
4/10/2009	512.58	1,305.0	62.7	0.23
4/11/2009	513.02	1,282.9	63.0	0.28
4/12/2009	513.43	1,222.4	63.3	0.00
4/13/2009	513.85	1,209.9	63.6	0.02
4/14/2009	514.24	1,194.7	63.9	0.53
4/15/2009	514.64	1,230.8	64.1	0.00
4/16/2009	515.03	1,191.1	167.3	0.00
4/17/2009	514.99	983.4	1,086.6	0.00
4/18/2009	514.94	965.1	1,114.7	0.00
4/19/2009	514.86	1,045.6	1,055.5	0.43
4/20/2009	516.02	3,431.6	564.1	1.18
4/21/2009	517.11	3,799.7	556.8	0.08
4/22/2009	517.53	2,844.7	1,601.3	0.00
4/23/2009	517.28	2,009.1	2,736.7	0.00
4/24/2009	516.61	1,459.7	3,612.3	0.00
4/25/2009	516.01	1,359.6	2,928.2	0.00
4/26/2009	515.47	1,184.3	2,670.0	0.00
4/27/2009	515.34	990.8	1,214.2	0.00
4/28/2009	515.25	856.2	1,069.8	0.00
4/29/2009	515.35	975.5	622.0	0.31
4/30/2009	515.94	2,394.5	1,096.4	0.65
5/1/2009	516.17	1,681.5	696.1	0.47
5/2/2009	516.41	1,339.0	555.3	0.31
5/3/2009	516.78	1,627.0	556.6	0.29
5/4/2009	517.39	2,309.2	558.6	0.86
5/5/2009	517.77	2,527.3	1,533.0	0.00
5/6/2009	517.85	2,120.2	1,673.9	0.02
5/7/2009	518.40	3,219.1	1,678.4	0.58
5/8/2009	519.13	4,885.8	2,577.1	1.13
5/9/2009	522.09	9,520.2	745.1	1.08
5/10/2009	524.31	8,949.4	583.9	0.00
5/11/2009	525.75	6,200.6	590.5	0.10
5/12/2009	526.44	3,384.7	765.0	0.00
5/13/2009	526.24	2,351.2	2,942.4	0.00
5/14/2009	525.54	1,512.9	4,068.3	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/2009	524.80	1,174.2	3,781.3	0.25
5/16/2009	523.97	196.1	2,183.2	0.86
5/17/2009	522.98	1,201.4	4,623.6	0.11
5/18/2009	521.95	1,022.4	4,601.3	0.00
5/19/2009	520.84	829.7	4,626.1	0.00
5/20/2009	519.57	809.3	5,106.0	0.00
5/21/2009	518.14	592.4	5,092.6	0.00
5/22/2009	516.68	529.6	5,052.3	0.00
5/23/2009	515.86	598.4	2,661.7	0.00
5/24/2009	515.65	670.8	1,188.2	0.00
5/25/2009	515.49	648.0	1,118.8	0.19
5/26/2009	515.31	589.2	1,062.2	0.02
5/27/2009	515.28	545.8	566.5	0.00
5/28/2009	515.38	755.8	551.4	1.05
5/29/2009	515.42	706.8	551.6	0.00
5/30/2009	515.44	628.5	551.7	0.00
5/31/2009	515.45	575.5	551.8	0.00
6/1/2009	515.42	482.3	551.7	0.00
6/2/2009	515.38	436.6	551.6	0.00
6/3/2009	515.36	485.7	551.5	0.08
6/4/2009	515.43	739.6	551.6	0.66
6/5/2009	515.66	1,152.3	596.0	0.22
6/6/2009	515.65	1,024.3	1,092.4	0.00
6/7/2009	515.51	766.6	1,118.9	0.00
6/8/2009	515.33	627.9	1,106.0	0.00
6/9/2009	515.28	518.0	610.1	0.00
6/10/2009	515.25	520.0	551.1	0.00
6/11/2009	515.50	1,294.8	551.7	1.07
6/12/2009	516.98	4,222.3	555.6	1.20
6/13/2009	517.52	2,674.2	559.3	0.00
6/14/2009	517.70	1,295.7	560.5	0.00
6/15/2009	517.91	1,245.9	670.3	0.50
6/16/2009	518.14	2,017.0	1,274.8	0.55
6/17/2009	518.41	1,418.8	702.7	0.65
6/18/2009	518.32	1,351.9	1,669.1	0.06
6/19/2009	517.92	962.5	2,255.4	0.00
6/20/2009	517.33	926.4	2,786.7	0.00
6/21/2009	516.64	743.2	2,800.3	0.00
6/22/2009	515.95	709.7	2,789.4	0.05

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/2009	515.53	743.4	1,836.8	0.80
6/24/2009	515.17	643.4	1,530.1	0.00
6/25/2009	515.16	565.4	573.4	0.00
6/26/2009	515.11	439.2	550.5	0.06
6/27/2009	515.16	641.9	550.6	0.09
6/28/2009	515.11	440.9	550.5	0.00
6/29/2009	515.04	343.3	525.9	0.00
6/30/2009	515.06	292.9	184.5	0.00
7/1/2009	515.10	242.3	160.1	0.00
7/2/2009	515.13	167.5	160.2	0.03
7/3/2009	515.17	275.2	160.2	0.00
7/4/2009	515.19	246.2	160.3	0.00
7/5/2009	515.27	374.0	160.4	0.80
7/6/2009	515.49	722.8	193.2	0.31
7/7/2009	515.44	443.6	524.1	0.00
7/8/2009	515.37	333.7	517.1	0.00
7/9/2009	515.38	512.1	528.5	0.03
7/10/2009	515.51	850.6	551.8	0.00
7/11/2009	515.49	895.7	1,047.7	0.00
7/12/2009	515.23	468.1	1,058.4	0.00
7/13/2009	515.22	505.9	562.6	0.42
7/14/2009	515.11	269.0	512.4	0.00
7/15/2009	515.11	215.1	162.2	0.00
7/16/2009	515.20	315.6	54.4	0.18
7/17/2009	515.40	588.7	49.1	0.79
7/18/2009	515.68	886.4	135.6	0.00
7/19/2009	515.85	683.8	162.1	0.00
7/20/2009	515.92	410.6	169.3	0.00
7/21/2009	515.97	333.4	177.1	0.00
7/22/2009	515.98	346.6	273.3	0.24
7/23/2009	516.39	1,495.5	663.1	1.69
7/24/2009	516.30	1,380.5	1,633.0	0.00
7/25/2009	516.06	994.5	1,653.8	0.00
7/26/2009	515.69	618.5	1,620.2	0.00
7/27/2009	515.47	534.0	1,099.6	0.00
7/28/2009	515.41	440.5	567.0	0.00
7/29/2009	515.34	351.8	531.8	0.17
7/30/2009	515.42	474.2	119.6	0.42
7/31/2009	515.97	1,453.5	315.8	2.33

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/2009	515.94	1,420.6	1,343.2	0.00
8/2/2009	515.89	982.7	1,121.4	0.14
8/3/2009	515.74	733.7	1,120.6	0.00
8/4/2009	515.52	522.5	1,119.2	0.00
8/5/2009	515.35	568.5	1,117.9	0.70
8/6/2009	515.09	395.4	1,171.0	0.00
8/7/2009	514.99	299.1	559.0	0.00
8/8/2009	514.85	264.2	486.7	0.00
8/9/2009	514.90	224.2	79.9	0.00
8/10/2009	514.94	198.6	79.9	0.00
8/11/2009	514.99	224.2	80.0	0.12
8/12/2009	515.02	193.3	80.0	0.00
8/13/2009	515.10	268.1	80.1	0.00
8/14/2009	515.14	217.0	80.1	0.00
8/15/2009	515.17	186.0	80.1	0.00
8/16/2009	515.20	145.9	80.1	0.00
8/17/2009	515.21	127.7	80.2	0.00
8/18/2009	515.23	133.0	80.2	0.09
8/19/2009	515.24	109.4	80.2	0.00
8/20/2009	515.25	114.9	80.2	0.05
8/21/2009	515.31	209.3	85.2	1.38
8/22/2009	515.30	146.4	155.5	0.00
8/23/2009	515.28	104.0	160.5	0.00
8/24/2009	515.27	129.4	160.4	0.00
8/25/2009	515.24	94.6	160.4	0.00
8/26/2009	515.22	100.4	158.2	0.00
8/27/2009	515.21	84.5	124.8	0.00
8/28/2009	515.19	82.1	118.7	0.00
8/29/2009	515.18	41.3	81.9	0.00
8/30/2009	515.17	52.7	80.1	0.00
8/31/2009	515.17	78.3	80.1	0.00
9/1/2009	515.15	42.7	77.5	0.00
9/2/2009	515.13	0.0	50.3	0.00
9/3/2009	515.09	2.5	49.0	1.00
9/4/2009	515.11	65.5	49.0	0.04
9/5/2009	515.14	127.6	49.1	0.00
9/6/2009	515.13	45.4	49.1	0.00
9/7/2009	515.13	52.7	49.1	0.10
9/8/2009	515.16	114.8	49.1	0.38

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/2009	515.17	96.5	49.1	0.00
9/10/2009	515.17	49.1	49.1	0.00
9/11/2009	515.17	49.1	49.1	0.00
9/12/2009	515.17	45.9	49.1	0.00
9/13/2009	515.16	23.0	49.1	0.00
9/14/2009	515.16	45.9	49.1	0.00
9/15/2009	515.15	17.0	49.1	0.00
9/16/2009	515.09	0.1	167.2	0.00
9/17/2009	515.03	12.4	209.1	0.00
9/18/2009	514.96	25.9	209.0	0.00
9/19/2009	514.89	12.1	208.8	0.00
9/20/2009	514.89	165.0	208.8	0.53
9/21/2009	514.87	164.9	208.7	0.55
9/22/2009	514.95	446.2	208.8	0.03
9/23/2009	515.35	1,201.3	279.4	0.66
9/24/2009	515.35	1,077.1	1,074.0	0.03
9/25/2009	515.19	708.0	1,116.7	0.22
9/26/2009	515.02	617.4	1,115.6	0.07
9/27/2009	514.84	579.7	1,114.3	0.22
9/28/2009	514.58	410.2	1,112.7	0.00
9/29/2009	514.30	295.0	1,110.8	0.00
9/30/2009	514.03	318.8	1,108.9	0.00
10/1/2009	513.92	298.0	616.1	0.00
10/2/2009	513.85	324.9	545.5	0.73
10/3/2009	513.74	239.4	545.1	0.00
10/4/2009	513.62	232.0	544.7	0.00
10/5/2009	513.52	247.1	544.2	0.13
10/6/2009	513.41	292.0	543.8	0.00
10/7/2009	513.57	830.7	598.9	1.75
10/8/2009	513.35	581.5	1,088.9	0.00
10/9/2009	513.31	896.7	1,103.3	1.10
10/10/2009	514.08	2,434.6	785.7	0.87
10/11/2009	514.67	3,252.7	1,589.4	0.00
10/12/2009	514.72	1,987.4	1,637.0	0.00
10/13/2009	514.51	1,131.4	1,545.1	0.02
10/14/2009	514.09	860.8	2,364.4	0.41
10/15/2009	513.42	982.7	2,852.8	0.56
10/16/2009	512.58	1,302.6	3,790.0	0.13
10/17/2009	511.57	1,119.2	3,691.5	0.10



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/2009	511.37	1,063.5	1,342.7	0.00
10/19/2009	511.28	820.9	1,089.2	0.00
10/20/2009	511.12	692.7	1,088.3	0.00
10/21/2009	510.93	599.0	1,041.0	0.00
10/22/2009	510.93	587.3	556.7	0.00
10/23/2009	510.97	640.2	533.8	0.81
10/24/2009	511.18	999.5	534.4	0.20
10/25/2009	511.36	1,033.3	535.2	0.00
10/26/2009	511.50	940.1	535.8	0.00
10/27/2009	511.57	808.9	625.3	0.00
10/28/2009	511.67	1,600.3	1,646.8	1.06
10/29/2009	511.51	2,081.2	2,655.4	0.00
10/30/2009	511.19	1,966.9	2,680.7	0.00
10/31/2009	511.78	2,776.9	1,290.1	1.59
11/1/2009	512.97	4,153.5	1,097.4	0.00
11/2/2009	513.88	3,735.4	1,104.7	0.00
11/3/2009	514.24	2,370.7	1,108.7	0.00
11/4/2009	514.09	1,595.9	2,052.0	0.00
11/5/2009	513.69	1,148.1	2,312.3	0.00
11/6/2009	512.89	1,004.4	3,355.6	0.00
11/7/2009	511.60	706.7	4,306.8	0.00
11/8/2009	510.27	863.0	4,404.9	0.00
11/9/2009	508.46	630.8	5,248.2	0.00
11/10/2009	506.51	549.0	5,226.1	0.00
11/11/2009	504.51	562.1	5,158.4	0.00
11/12/2009	502.36	438.1	5,083.7	0.00
11/13/2009	500.09	388.8	4,922.5	0.00
11/14/2009	498.23	395.7	3,995.1	0.00
11/15/2009	496.26	335.7	3,853.4	0.00
11/16/2009	494.67	260.5	2,815.6	0.00
11/17/2009	494.42	674.1	1,126.3	0.31
11/18/2009	493.77	208.2	1,214.3	0.13
11/19/2009	493.28	391.2	1,063.4	0.00
11/20/2009	493.24	447.9	502.1	0.00
11/21/2009	493.20	425.6	479.6	0.00
11/22/2009	493.16	411.3	479.5	0.00
11/23/2009	493.08	360.1	479.3	0.00
11/24/2009	493.00	347.8	479.1	0.03
11/25/2009	492.90	333.0	478.8	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/2009	492.83	351.3	478.6	0.00
11/27/2009	492.69	270.0	478.2	0.00
11/28/2009	492.58	292.3	477.9	0.00
11/29/2009	492.45	299.8	477.5	0.00
11/30/2009	492.54	552.5	477.5	0.51
12/1/2009	492.47	399.5	477.5	0.00
12/2/2009	492.40	393.4	477.3	0.24
12/3/2009	492.67	822.2	477.7	0.48
12/4/2009	492.87	793.5	514.2	0.00
12/5/2009	492.65	585.7	919.7	0.00
12/6/2009	492.34	470.3	882.0	0.00
12/7/2009	492.30	418.1	476.9	0.11
12/8/2009	492.27	576.0	476.9	0.04
12/9/2009	494.19	3,072.9	480.4	1.65
12/10/2009	496.54	4,332.4	487.0	0.00
12/11/2009	498.15	3,552.7	492.6	0.00
12/12/2009	498.83	2,062.2	516.3	0.00
12/13/2009	499.01	1,334.0	1,011.2	0.41
12/14/2009	498.68	1,222.0	1,997.5	0.00
12/15/2009	497.70	1,054.8	2,910.7	0.00
12/16/2009	496.57	880.2	2,913.8	0.00
12/17/2009	495.31	708.4	2,887.3	0.00
12/18/2009	493.92	528.5	2,856.8	0.00
12/19/2009	492.85	484.3	2,122.9	0.24
12/20/2009	492.50	723.9	1,170.9	0.07
12/21/2009	492.44	836.1	939.7	0.00
12/22/2009	492.40	870.2	939.3	0.00
12/23/2009	492.28	772.5	900.2	0.00
12/24/2009	492.45	777.1	515.6	0.02
12/25/2009	492.41	798.8	901.0	0.46
12/26/2009	492.36	848.2	939.0	0.08
12/27/2009	492.30	842.9	938.6	0.00
12/28/2009	492.22	818.6	902.5	0.00
12/29/2009	492.34	735.8	499.0	0.00
12/30/2009	492.49	712.2	477.3	0.00
12/31/2009	492.62	680.1	477.7	0.20