



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/2011	493.05	618.2	498.4	0.50
1/2/2011	493.04	838.1	905.8	0.02
1/3/2011	492.84	652.7	943.4	0.00
1/4/2011	492.56	532.8	912.4	0.00
1/5/2011	492.54	503.8	506.5	0.00
1/6/2011	492.53	447.0	477.6	0.00
1/7/2011	492.47	394.6	477.5	0.00
1/8/2011	492.42	395.4	477.3	0.01
1/9/2011	492.33	344.8	456.5	0.00
1/10/2011	492.39	305.7	167.8	0.00
1/11/2011	492.45	254.9	147.3	0.00
1/12/2011	492.54	273.9	147.5	0.00
1/13/2011	492.59	215.8	147.7	0.01
1/14/2011	492.63	221.7	175.3	0.00
1/15/2011	492.45	197.7	463.8	0.00
1/16/2011	492.27	189.9	465.4	0.00
1/17/2011	492.26	160.2	176.4	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/2011	492.32	220.0	146.9	0.41
1/19/2011	492.51	423.7	147.3	0.34
1/20/2011	492.64	397.5	147.7	0.00
1/21/2011	492.78	364.3	148.1	0.02
1/22/2011	492.87	287.6	148.4	0.00
1/23/2011	492.93	243.9	148.5	0.00
1/24/2011	492.98	250.1	164.1	0.00
1/25/2011	493.04	269.5	205.5	0.31
1/26/2011	493.05	421.3	479.1	0.35
1/27/2011	493.17	690.0	515.3	0.00
1/28/2011	492.96	562.8	922.0	0.00
1/29/2011	492.77	652.5	942.8	0.00
1/30/2011	492.57	621.6	941.2	0.00
1/31/2011	492.32	560.1	939.4	0.00
2/1/2011	492.34	667.5	534.7	0.11
2/2/2011	493.25	1,600.7	478.3	0.96
2/3/2011	494.08	1,965.6	481.4	0.00
2/4/2011	494.51	1,546.4	909.5	0.00
2/5/2011	493.94	928.0	1,842.2	0.27
2/6/2011	493.22	720.1	1,875.9	0.11
2/7/2011	492.93	685.7	1,059.5	0.09
2/8/2011	492.93	910.9	943.5	0.00
2/9/2011	492.84	835.5	943.0	0.00
2/10/2011	492.71	734.9	942.1	0.00
2/11/2011	492.52	679.5	940.8	0.00
2/12/2011	492.29	568.2	919.8	0.00
2/13/2011	492.34	630.3	515.4	0.00
2/14/2011	492.52	729.0	477.3	0.00
2/15/2011	492.69	752.3	512.6	0.00
2/16/2011	492.51	647.1	917.6	0.00
2/17/2011	492.28	565.7	900.6	0.00
2/18/2011	492.33	587.3	496.1	0.00
2/19/2011	492.41	598.6	477.1	0.00
2/20/2011	492.41	508.8	477.2	0.00
2/21/2011	492.41	473.3	477.2	0.05
2/22/2011	492.48	581.0	477.3	0.46
2/23/2011	492.52	522.9	477.5	0.00
2/24/2011	492.67	932.5	477.8	0.91
2/25/2011	498.49	7,996.7	486.7	2.82

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/2011	502.49	9,869.3	503.1	0.00
2/27/2011	505.32	7,012.9	512.9	0.02
2/28/2011	506.84	4,618.0	519.0	1.14
3/1/2011	510.07	7,915.7	527.1	1.05
3/2/2011	512.20	6,257.8	535.7	0.00
3/3/2011	513.54	4,711.8	654.3	0.00
3/4/2011	513.49	2,456.1	2,580.9	0.00
3/5/2011	513.73	2,203.1	1,077.2	0.57
3/6/2011	515.66	5,540.4	550.1	1.34
3/7/2011	517.22	5,220.3	556.6	0.00
3/8/2011	518.18	3,850.5	561.4	0.00
3/9/2011	519.56	3,920.1	565.3	1.81
3/10/2011	522.06	9,370.0	574.7	0.17
3/11/2011	524.07	7,798.8	583.3	0.13
3/12/2011	525.14	5,032.6	589.1	0.00
3/13/2011	525.70	2,922.7	591.5	0.00
3/14/2011	526.19	2,388.8	593.0	0.13
3/15/2011	526.56	2,072.3	686.7	0.44
3/16/2011	526.62	1,858.6	1,808.4	0.03
3/17/2011	526.30	1,700.6	3,055.6	0.00
3/18/2011	525.32	1,348.4	5,140.7	0.00
3/19/2011	524.24	1,261.4	5,250.7	0.00
3/20/2011	523.06	1,043.9	5,221.0	0.00
3/21/2011	521.82	841.5	5,189.1	0.00
3/22/2011	520.59	962.4	5,243.2	0.00
3/23/2011	518.67	815.8	7,166.2	0.00
3/24/2011	516.51	724.5	7,268.3	0.15
3/25/2011	514.39	696.6	7,026.9	0.00
3/26/2011	513.13	883.6	4,155.7	0.00
3/27/2011	512.31	750.9	2,862.8	0.19
3/28/2011	511.86	625.5	1,684.8	0.00
3/29/2011	511.83	635.2	607.6	0.00
3/30/2011	511.88	628.0	537.4	0.24
3/31/2011	511.88	555.7	511.7	0.03
4/1/2011	511.99	530.3	218.3	0.00
4/2/2011	512.07	478.7	202.5	0.03
4/3/2011	512.14	411.2	202.7	0.00
4/4/2011	512.23	404.3	202.8	0.00
4/5/2011	512.61	1,204.1	203.4	1.22

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/2011	512.87	960.0	204.1	0.00
4/7/2011	513.08	817.9	204.6	0.00
4/8/2011	513.23	635.9	205.0	0.00
4/9/2011	513.35	535.4	205.3	0.00
4/10/2011	513.45	478.3	205.5	0.00
4/11/2011	513.54	638.2	233.9	0.00
4/12/2011	516.78	6,301.8	535.1	3.90
4/13/2011	520.91	15,828.3	568.1	0.03
4/14/2011	523.75	10,691.6	558.2	0.00
4/15/2011	526.01	9,003.5	50.7	0.00
4/16/2011	526.85	4,017.5	488.4	0.53
4/17/2011	527.51	3,171.2	596.8	0.05
4/18/2011	528.13	3,005.6	689.3	0.00
4/19/2011	528.23	2,205.8	1,719.3	0.00
4/20/2011	528.88	2,658.9	1,021.0	1.45
4/21/2011	529.87	6,256.1	1,750.6	0.00
4/22/2011	530.47	4,542.9	1,704.4	0.13
4/23/2011	531.02	3,368.2	668.2	0.21
4/24/2011	532.60	6,726.3	611.0	0.39
4/25/2011	535.84	13,781.5	618.3	2.18
4/26/2011	538.56	14,208.0	627.7	0.36
4/27/2011	541.41	13,322.0	635.4	2.63
4/28/2011	544.79	20,335.8	645.9	0.97
4/29/2011	547.07	13,877.0	653.7	0.30
4/30/2011	549.01	12,259.8	659.9	0.00
5/1/2011	550.04	7,997.1	1,094.2	0.73
5/2/2011	551.04	7,026.9	685.4	0.76
5/3/2011	553.23	11,594.5	673.6	2.38
5/4/2011	555.57	18,054.5	683.9	0.23
5/5/2011	557.50	14,123.6	692.1	0.00
5/6/2011	559.17	12,918.3	783.0	0.00
5/7/2011	559.70	6,649.5	2,121.5	0.00
5/8/2011	559.41	3,443.0	5,778.2	0.00
5/9/2011	558.69	2,253.4	7,545.7	0.00
5/10/2011	557.63	1,847.3	9,337.1	0.00
5/11/2011	556.48	1,459.2	9,393.0	0.00
5/12/2011	555.30	1,281.2	9,348.8	0.00
5/13/2011	554.09	1,149.7	9,302.8	0.04
5/14/2011	552.84	1,063.5	9,255.6	0.33

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/2011	551.55	1,106.1	9,207.5	0.39
5/16/2011	550.24	968.0	9,157.7	0.11
5/17/2011	548.86	767.4	9,105.2	0.01
5/18/2011	547.42	600.7	9,048.7	0.00
5/19/2011	545.96	667.1	8,991.4	0.00
5/20/2011	544.49	569.7	8,932.1	0.12
5/21/2011	542.96	607.7	8,871.9	0.00
5/22/2011	541.54	1,164.6	8,813.0	0.19
5/23/2011	540.13	1,236.0	8,755.3	0.54
5/24/2011	538.81	2,516.6	9,243.0	0.54
5/25/2011	537.40	2,597.8	9,274.8	0.17
5/26/2011	536.02	1,915.9	9,211.0	1.06
5/27/2011	534.76	3,767.9	9,207.1	0.00
5/28/2011	533.28	3,156.2	9,688.1	0.00
5/29/2011	531.47	1,956.4	9,639.4	0.00
5/30/2011	529.50	1,422.7	9,551.0	0.00
5/31/2011	527.40	1,160.6	9,457.3	0.00
6/1/2011	525.19	990.9	9,357.6	0.00
6/2/2011	522.86	863.4	9,252.6	0.00
6/3/2011	520.44	842.7	9,030.2	0.00
6/4/2011	518.43	749.7	6,997.3	0.00
6/5/2011	517.07	700.3	4,689.1	0.00
6/6/2011	516.20	750.6	3,370.6	0.03
6/7/2011	515.54	711.0	2,544.9	0.00
6/8/2011	515.28	651.2	1,253.4	0.00
6/9/2011	515.29	531.1	372.1	0.00
6/10/2011	515.39	520.1	209.7	0.00
6/11/2011	515.49	472.8	209.9	0.00
6/12/2011	515.59	407.4	242.5	0.17
6/13/2011	515.55	539.8	541.9	0.00
6/14/2011	515.50	446.3	552.1	0.00
6/15/2011	515.46	416.8	551.9	0.11
6/16/2011	515.41	445.9	551.8	0.36
6/17/2011	515.40	447.6	551.6	0.05
6/18/2011	515.37	575.2	551.5	0.44
6/19/2011	515.50	816.9	551.9	0.95
6/20/2011	516.24	2,440.8	707.1	0.73
6/21/2011	516.18	2,522.1	2,664.1	0.00
6/22/2011	515.70	1,440.8	2,784.3	0.71

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/2011	515.36	1,073.9	1,909.9	0.03
6/24/2011	515.31	1,084.7	1,164.5	0.00
6/25/2011	515.22	870.4	1,116.8	0.00
6/26/2011	515.13	805.9	1,116.1	0.37
6/27/2011	514.97	726.9	1,023.7	0.03
6/28/2011	515.33	1,051.1	231.0	1.10
6/29/2011	515.33	1,095.6	1,004.0	0.00
6/30/2011	515.24	860.9	1,000.6	0.00
7/1/2011	515.30	612.7	426.3	0.00
7/2/2011	515.30	549.4	551.2	0.00
7/3/2011	515.29	514.6	551.2	0.00
7/4/2011	515.25	416.6	524.7	0.00
7/5/2011	515.32	461.4	225.9	0.08
7/6/2011	515.37	374.0	209.7	0.00
7/7/2011	515.41	326.7	209.8	0.00
7/8/2011	515.46	341.3	209.9	0.35
7/9/2011	515.54	454.7	210.0	0.25
7/10/2011	515.70	613.6	244.9	0.00
7/11/2011	515.68	466.0	458.5	0.00
7/12/2011	515.64	465.1	552.6	0.00
7/13/2011	515.94	1,272.1	553.4	1.35
7/14/2011	515.84	1,114.0	1,513.7	0.00
7/15/2011	515.48	667.2	1,579.1	0.00
7/16/2011	515.40	438.9	620.0	0.00
7/17/2011	515.34	392.8	551.4	0.00
7/18/2011	515.33	309.5	280.8	0.00
7/19/2011	515.34	240.7	209.7	0.00
7/20/2011	515.35	260.7	209.7	0.03
7/21/2011	515.39	281.0	209.7	0.00
7/22/2011	515.38	222.6	209.8	0.00
7/23/2011	515.38	209.8	209.8	0.00
7/24/2011	515.37	195.1	209.7	0.00
7/25/2011	515.34	130.5	204.0	0.04
7/26/2011	515.57	663.2	194.2	0.00
7/27/2011	515.61	681.9	471.1	0.00
7/28/2011	515.50	271.1	552.2	0.00
7/29/2011	515.40	237.7	551.7	0.00
7/30/2011	515.28	221.3	522.8	0.00
7/31/2011	515.26	205.5	223.8	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/2011	515.31	306.3	209.6	0.02
8/2/2011	515.30	200.5	209.6	0.00
8/3/2011	515.29	178.5	209.6	0.00
8/4/2011	515.26	143.8	209.5	0.00
8/5/2011	515.23	120.9	209.4	0.00
8/6/2011	515.21	131.9	209.4	0.44
8/7/2011	515.19	171.0	209.4	0.18
8/8/2011	515.17	146.3	204.8	0.17
8/9/2011	515.17	83.8	91.7	0.00
8/10/2011	515.16	74.6	80.1	0.03
8/11/2011	515.18	109.0	76.2	0.00
8/12/2011	515.17	51.5	49.1	0.00
8/13/2011	515.17	45.9	49.1	0.00
8/14/2011	515.18	29.9	49.1	0.06
8/15/2011	515.17	73.3	49.1	0.00
8/16/2011	515.19	85.6	49.1	0.00
8/17/2011	515.19	71.0	49.1	0.00
8/18/2011	515.20	96.6	49.1	0.03
8/19/2011	515.32	361.3	49.1	0.10
8/20/2011	515.34	105.8	49.1	0.02
8/21/2011	515.35	80.2	49.1	0.10
8/22/2011	515.36	93.3	49.1	0.26
8/23/2011	515.35	19.9	49.1	0.00
8/24/2011	515.34	23.3	49.1	0.00
8/25/2011	515.35	52.8	49.1	0.00
8/26/2011	515.34	42.3	49.1	0.00
8/27/2011	515.33	19.7	49.1	0.00
8/28/2011	515.31	18.3	49.1	0.00
8/29/2011	515.31	21.7	49.1	0.00
8/30/2011	515.30	16.9	49.1	0.00
8/31/2011	515.28	2.9	49.1	0.00
9/1/2011	515.27	30.4	49.1	0.00
9/2/2011	515.32	162.3	49.1	0.00
9/3/2011	515.31	39.3	49.1	0.00
9/4/2011	515.28	0.7	49.1	0.00
9/5/2011	515.31	92.9	49.1	0.00
9/6/2011	515.35	135.0	49.1	0.58
9/7/2011	515.41	257.3	49.2	0.95
9/8/2011	515.41	92.9	49.2	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/2011	515.42	49.6	49.2	0.04
9/10/2011	515.42	28.6	60.1	0.00
9/11/2011	515.40	89.7	157.6	0.06
9/12/2011	515.43	239.1	160.7	0.24
9/13/2011	515.40	93.2	160.6	0.00
9/14/2011	515.36	69.2	160.6	0.00
9/15/2011	515.37	132.4	193.1	0.31
9/16/2011	515.19	58.3	534.7	0.00
9/17/2011	515.00	0.0	550.3	0.00
9/18/2011	514.90	11.8	262.2	0.00
9/19/2011	514.86	73.0	159.8	0.13
9/20/2011	514.86	154.3	159.8	0.29
9/21/2011	514.83	72.2	159.8	0.12
9/22/2011	514.80	73.8	159.7	0.10
9/23/2011	514.80	121.3	159.7	0.46
9/24/2011	514.79	167.9	159.7	0.04
9/25/2011	514.76	74.8	159.6	0.03
9/26/2011	514.84	212.6	159.6	1.23
9/27/2011	514.84	322.3	159.7	0.00
9/28/2011	514.86	194.9	159.7	0.00
9/29/2011	514.87	164.8	139.8	0.00
9/30/2011	514.84	94.1	159.8	0.00
10/1/2011	514.81	92.1	159.7	0.00
10/2/2011	514.79	68.8	159.7	0.00
10/3/2011	514.74	13.6	159.6	0.00
10/4/2011	514.69	22.7	154.5	0.00
10/5/2011	514.67	47.4	94.7	0.00
10/6/2011	514.66	64.2	89.7	0.00
10/7/2011	514.63	18.3	79.7	0.00
10/8/2011	514.61	8.1	79.7	0.00
10/9/2011	514.59	42.3	79.7	0.00
10/10/2011	514.56	14.5	312.7	0.00
10/11/2011	514.26	133.4	1,052.1	0.00
10/12/2011	513.88	106.3	1,187.7	0.00
10/13/2011	513.33	126.8	1,566.9	0.36
10/14/2011	513.31	304.5	282.9	0.32
10/15/2011	512.96	44.2	1,058.6	0.00
10/16/2011	512.57	40.4	1,099.0	0.00
10/17/2011	512.19	62.9	1,096.3	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/2011	511.84	59.6	1,093.8	0.00
10/19/2011	511.44	62.4	1,091.1	0.10
10/20/2011	511.07	57.9	1,088.4	0.30
10/21/2011	510.68	119.3	1,085.8	0.00
10/22/2011	510.29	50.3	1,083.0	0.00
10/23/2011	509.90	109.2	1,080.3	0.00
10/24/2011	509.50	33.5	1,077.2	0.00
10/25/2011	509.12	81.2	1,257.9	0.00
10/26/2011	508.46	23.9	1,453.0	0.00
10/27/2011	508.16	238.6	1,066.1	0.42
10/28/2011	507.79	257.8	1,063.6	0.08
10/29/2011	507.43	100.1	1,060.5	0.04
10/30/2011	507.05	153.3	1,057.4	0.00
10/31/2011	506.65	107.4	1,054.3	0.00
11/1/2011	506.26	125.6	1,051.2	0.00
11/2/2011	505.86	109.3	1,048.0	0.00
11/3/2011	505.41	88.8	1,044.6	0.00
11/4/2011	505.06	182.5	1,041.6	0.41
11/5/2011	504.66	135.4	1,038.5	0.04
11/6/2011	504.21	80.9	1,035.1	0.00
11/7/2011	503.79	87.8	1,031.6	0.00
11/8/2011	503.37	115.7	1,028.2	0.00
11/9/2011	502.95	128.0	1,024.9	0.00
11/10/2011	502.52	125.5	1,021.6	0.03
11/11/2011	502.09	62.7	1,018.0	0.00
11/12/2011	501.64	34.9	1,014.4	0.00
11/13/2011	501.18	105.4	1,010.8	0.00
11/14/2011	500.71	83.2	1,007.1	0.00
11/15/2011	500.35	193.1	1,003.7	0.78
11/16/2011	500.22	543.0	1,001.6	2.01
11/17/2011	500.24	1,217.6	1,002.0	0.21
11/18/2011	500.09	726.9	1,097.1	0.00
11/19/2011	499.29	415.2	1,947.2	0.00
11/20/2011	498.39	243.6	1,939.6	0.35
11/21/2011	498.72	1,370.0	1,088.4	2.16
11/22/2011	499.50	2,748.5	994.4	0.21
11/23/2011	500.12	2,155.0	999.2	0.26
11/24/2011	500.49	1,835.0	1,105.3	0.00
11/25/2011	500.00	977.1	1,962.3	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/2011	499.34	781.4	1,973.6	0.00
11/27/2011	498.66	637.6	1,962.4	0.80
11/28/2011	498.95	2,237.6	1,821.4	1.45
11/29/2011	503.71	9,244.2	229.4	1.58
11/30/2011	506.92	7,771.2	145.2	0.13
12/1/2011	508.82	5,236.4	149.1	0.00
12/2/2011	509.66	2,461.0	151.0	0.00
12/3/2011	510.24	1,755.7	152.1	0.00
12/4/2011	510.67	1,272.4	152.8	0.00
12/5/2011	511.17	1,796.4	153.6	1.12
12/6/2011	514.89	9,262.5	157.7	1.85
12/7/2011	517.61	8,375.8	162.6	0.00
12/8/2011	519.41	6,419.5	166.1	0.00
12/9/2011	520.01	2,996.5	903.9	0.00
12/10/2011	520.27	2,110.0	1,302.4	0.00
12/11/2011	519.79	1,634.9	3,287.0	0.00
12/12/2011	519.14	1,288.3	3,406.5	0.00
12/13/2011	518.44	1,122.8	3,391.5	0.00
12/14/2011	517.66	1,047.7	3,375.3	0.00
12/15/2011	516.88	909.4	3,357.7	0.28
12/16/2011	516.15	1,149.7	3,341.4	0.19
12/17/2011	514.66	1,027.6	5,787.2	0.15
12/18/2011	512.70	1,055.1	6,535.0	0.00
12/19/2011	511.37	828.9	4,048.6	0.00
12/20/2011	510.45	782.9	3,217.8	0.00
12/21/2011	509.63	920.7	3,198.0	0.92
12/22/2011	509.07	1,876.7	3,185.0	0.03
12/23/2011	508.66	1,975.7	3,173.3	0.52
12/24/2011	507.30	1,831.3	5,511.1	0.00
12/25/2011	505.27	1,557.2	6,110.1	0.00
12/26/2011	503.51	1,265.6	4,963.6	0.00
12/27/2011	502.66	1,296.2	3,121.3	0.68
12/28/2011	502.47	2,550.2	3,036.0	0.25
12/29/2011	502.29	2,628.3	3,032.0	0.00
12/30/2011	501.73	1,963.7	3,023.1	0.00
12/31/2011	500.05	1,531.4	5,237.3	0.00