



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/2012	497.53	1,113.5	5,884.4	0.00
1/2/2012	494.68	817.7	5,705.6	0.00
1/3/2012	493.04	667.3	3,131.9	0.00
1/4/2012	492.25	657.9	1,626.4	0.00
1/5/2012	492.46	804.6	528.2	0.00
1/6/2012	492.35	730.2	907.4	0.00
1/7/2012	492.15	666.3	913.9	0.00
1/8/2012	492.12	639.9	711.5	0.00
1/9/2012	492.05	607.0	706.4	0.14
1/10/2012	492.08	599.6	528.4	0.00
1/11/2012	492.21	642.3	476.4	0.50
1/12/2012	492.63	1,103.7	516.0	0.47
1/13/2012	492.73	1,068.6	922.3	0.14
1/14/2012	492.78	1,042.7	942.1	0.00
1/15/2012	492.70	828.5	941.9	0.00
1/16/2012	492.52	671.4	940.7	0.00
1/17/2012	492.35	749.2	939.4	0.10

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/2012	492.85	1,499.7	941.1	0.76
1/19/2012	493.30	1,678.5	945.0	0.00
1/20/2012	493.17	1,434.2	1,629.7	0.00
1/21/2012	492.78	1,042.6	1,865.8	0.72
1/22/2012	492.51	1,329.2	1,520.0	0.01
1/23/2012	493.18	1,487.6	1,038.1	0.98
1/24/2012	494.66	3,848.9	953.4	0.00
1/25/2012	495.75	2,900.9	963.2	0.00
1/26/2012	496.23	1,986.2	968.6	0.08
1/27/2012	497.90	3,445.6	1,056.6	1.60
1/28/2012	499.03	4,711.6	2,744.9	0.03
1/29/2012	498.35	3,444.4	4,553.7	0.00
1/30/2012	496.73	1,958.2	4,869.8	0.00
1/31/2012	494.73	1,382.4	4,799.4	0.00
2/1/2012	493.46	1,253.9	3,159.5	0.25
2/2/2012	492.98	1,410.6	2,120.0	1.06
2/3/2012	492.66	1,411.0	1,864.7	0.00
2/4/2012	492.18	1,131.5	1,768.0	0.08
2/5/2012	492.35	1,237.2	963.1	0.23
2/6/2012	492.51	1,195.1	939.7	0.00
2/7/2012	492.56	1,047.8	940.3	0.00
2/8/2012	492.56	946.4	940.5	0.04
2/9/2012	492.51	857.4	940.2	0.00
2/10/2012	492.39	778.9	939.5	0.00
2/11/2012	492.45	700.4	579.1	0.04
2/12/2012	492.55	681.9	477.6	0.00
2/13/2012	492.69	681.9	477.9	0.00
2/14/2012	492.57	589.6	819.5	0.23
2/15/2012	492.32	557.6	903.8	0.00
2/16/2012	492.39	595.9	499.2	0.22
2/17/2012	492.52	690.4	515.9	0.00
2/18/2012	492.53	628.4	607.6	0.00
2/19/2012	492.52	620.0	624.9	0.03
2/20/2012	492.45	509.5	579.5	0.00
2/21/2012	492.47	531.7	477.4	0.08
2/22/2012	492.51	528.8	477.5	0.00
2/23/2012	492.59	556.6	477.6	0.40
2/24/2012	492.70	694.2	478.0	0.18
2/25/2012	492.84	654.0	478.4	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/2012	492.93	646.8	507.7	0.00
2/27/2012	492.66	497.6	913.2	0.00
2/28/2012	492.55	467.7	612.7	0.00
2/29/2012	492.59	523.1	477.7	0.33
3/1/2012	492.85	929.2	517.0	0.42
3/2/2012	494.18	2,789.8	1,002.4	0.20
3/3/2012	494.58	1,934.0	1,010.8	0.25
3/4/2012	495.08	1,413.5	527.0	0.00
3/5/2012	495.49	1,223.1	486.0	0.03
3/6/2012	495.77	1,026.3	487.0	0.00
3/7/2012	495.99	864.3	487.7	0.00
3/8/2012	495.96	912.5	842.1	0.00
3/9/2012	497.52	3,248.8	974.8	1.83
3/10/2012	498.66	3,156.4	985.9	0.00
3/11/2012	498.91	2,299.1	1,795.2	0.00
3/12/2012	498.18	1,471.1	2,857.9	0.30
3/13/2012	497.29	1,252.3	2,927.7	0.16
3/14/2012	496.59	1,091.8	2,174.4	0.00
3/15/2012	496.04	991.7	1,860.8	0.00
3/16/2012	496.29	1,431.8	1,028.5	0.41
3/17/2012	496.75	1,695.2	972.3	0.55
3/18/2012	497.52	2,333.1	977.7	0.12
3/19/2012	498.18	2,225.3	983.5	0.00
3/20/2012	498.31	1,884.3	1,671.4	0.00
3/21/2012	498.01	1,438.5	1,869.9	0.00
3/22/2012	498.10	1,226.7	986.8	0.00
3/23/2012	498.43	1,156.6	490.7	0.34
3/24/2012	498.97	1,135.0	80.2	0.35
3/25/2012	499.76	1,477.9	53.0	0.15
3/26/2012	500.39	1,446.9	53.6	0.00
3/27/2012	500.87	1,035.3	54.1	0.00
3/28/2012	501.26	857.6	54.4	0.00
3/29/2012	501.60	771.6	54.7	0.00
3/30/2012	501.94	753.0	54.9	0.00
3/31/2012	502.22	669.9	55.2	0.10
4/1/2012	502.49	627.1	55.4	0.00
4/2/2012	502.73	596.8	55.6	0.00
4/3/2012	502.98	540.6	55.8	0.68
4/4/2012	503.17	483.8	56.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/5/2012	503.39	520.3	56.1	0.20
4/6/2012	503.62	549.0	56.3	0.20
4/7/2012	503.90	658.3	56.5	0.00
4/8/2012	504.10	520.5	56.7	0.00
4/9/2012	504.27	419.4	56.9	0.00
4/10/2012	504.39	387.5	57.0	0.00
4/11/2012	504.54	356.9	57.1	0.00
4/12/2012	504.67	331.9	57.2	0.00
4/13/2012	504.78	333.4	57.3	0.00
4/14/2012	504.90	308.4	57.4	0.00
4/15/2012	504.99	287.6	57.5	0.00
4/16/2012	505.08	306.1	57.5	0.12
4/17/2012	505.22	311.0	57.6	0.00
4/18/2012	505.31	279.4	57.7	0.00
4/19/2012	505.39	243.5	57.8	0.00
4/20/2012	505.48	275.2	57.8	0.00
4/21/2012	505.68	449.5	57.9	1.26
4/22/2012	505.81	405.0	58.0	0.03
4/23/2012	505.93	344.6	58.1	0.00
4/24/2012	506.02	253.1	58.2	0.00
4/25/2012	506.12	306.9	58.3	0.02
4/26/2012	506.28	305.8	58.3	0.42
4/27/2012	506.35	366.3	58.4	0.00
4/28/2012	506.40	180.7	58.5	0.00
4/29/2012	506.49	250.0	58.5	0.00
4/30/2012	506.56	207.3	58.6	0.00
5/1/2012	506.60	204.5	58.6	0.27
5/2/2012	506.68	211.8	58.7	0.00
5/3/2012	506.73	192.7	58.7	0.00
5/4/2012	506.78	176.5	58.7	0.02
5/5/2012	507.06	362.5	58.8	1.33
5/6/2012	507.27	892.1	59.0	0.05
5/7/2012	507.85	1,371.1	59.4	0.00
5/8/2012	508.21	998.7	59.6	0.86
5/9/2012	508.41	549.8	59.8	0.00
5/10/2012	508.54	446.3	59.9	0.00
5/11/2012	508.66	335.1	60.0	0.00
5/12/2012	508.74	282.6	60.1	0.00
5/13/2012	508.93	445.7	60.2	0.95

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/14/2012	509.24	847.6	60.4	0.30
5/15/2012	509.73	1,239.3	60.7	0.03
5/16/2012	510.06	955.7	61.0	0.00
5/17/2012	510.11	340.6	61.1	0.00
5/18/2012	510.49	891.2	61.2	0.00
5/19/2012	510.63	482.9	61.4	0.00
5/20/2012	510.76	448.8	61.5	0.00
5/21/2012	511.01	441.3	61.6	0.73
5/22/2012	511.10	556.2	61.7	0.04
5/23/2012	511.22	360.4	61.8	0.00
5/24/2012	511.29	288.4	61.9	0.00
5/25/2012	511.36	259.9	61.9	0.00
5/26/2012	511.44	171.0	62.0	0.00
5/27/2012	511.48	291.9	62.0	0.00
5/28/2012	511.55	199.6	62.1	0.00
5/29/2012	511.58	174.5	62.1	0.00
5/30/2012	511.68	337.3	62.2	0.85
5/31/2012	511.73	171.3	62.2	0.00
6/1/2012	511.86	392.8	62.3	1.31
6/2/2012	512.03	460.4	62.4	0.05
6/3/2012	512.25	713.3	62.5	0.02
6/4/2012	512.36	413.6	62.6	0.00
6/5/2012	512.52	471.0	62.7	0.52
6/6/2012	512.59	240.0	62.8	0.00
6/7/2012	512.66	274.8	62.8	0.00
6/8/2012	512.72	228.0	62.9	0.00
6/9/2012	512.76	193.3	62.9	0.00
6/10/2012	512.79	167.3	62.9	0.00
6/11/2012	512.84	182.9	63.0	0.00
6/12/2012	512.88	189.2	61.5	0.03
6/13/2012	512.91	115.4	48.1	0.00
6/14/2012	512.93	122.4	47.8	0.00
6/15/2012	512.96	115.6	47.8	0.00
6/16/2012	513.00	176.3	47.8	0.00
6/17/2012	513.02	120.9	47.8	0.00
6/18/2012	513.03	75.6	47.8	0.00
6/19/2012	513.05	84.2	47.8	0.00
6/20/2012	513.07	103.5	47.8	0.00
6/21/2012	513.09	101.8	47.8	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/22/2012	513.09	67.0	47.9	0.00
6/23/2012	513.09	49.6	47.9	0.00
6/24/2012	513.11	82.5	47.9	0.00
6/25/2012	513.12	75.7	47.9	0.00
6/26/2012	513.12	61.0	47.9	0.00
6/27/2012	513.10	6.0	47.9	0.00
6/28/2012	513.10	41.9	47.9	0.00
6/29/2012	513.09	7.7	47.8	0.00
6/30/2012	513.09	54.8	47.8	0.00
7/1/2012	513.09	61.0	47.9	0.00
7/2/2012	513.09	25.3	44.1	0.00
7/3/2012	513.11	156.5	44.1	0.03
7/4/2012	513.13	54.8	47.9	0.00
7/5/2012	513.12	38.4	47.9	0.00
7/6/2012	513.12	9.5	47.9	0.00
7/7/2012	513.11	47.9	47.9	0.00
7/8/2012	513.10	52.2	47.9	0.00
7/9/2012	513.08	118.7	45.9	0.10
7/10/2012	513.14	52.2	45.9	1.65
7/11/2012	513.13	44.4	47.9	0.00
7/12/2012	513.13	54.4	44.9	0.00
7/13/2012	513.19	176.0	44.9	0.38
7/14/2012	513.26	273.9	48.0	0.45
7/15/2012	513.30	134.8	48.0	0.12
7/16/2012	513.31	75.8	48.0	0.02
7/17/2012	513.32	70.6	48.0	0.00
7/18/2012	513.32	53.2	48.0	0.00
7/19/2012	513.31	75.8	48.0	0.10
7/20/2012	513.51	347.7	48.0	2.42
7/21/2012	513.51	255.8	48.1	0.70
7/22/2012	513.56	181.9	48.1	0.00
7/23/2012	513.58	103.8	48.1	0.00
7/24/2012	513.59	95.1	48.2	0.00
7/25/2012	513.60	74.1	48.2	0.00
7/26/2012	513.59	53.4	48.2	0.00
7/27/2012	513.68	255.0	48.2	0.55
7/28/2012	513.85	342.6	48.2	0.53
7/29/2012	514.13	961.0	48.4	0.00
7/30/2012	514.34	629.2	48.6	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
7/31/2012	514.44	410.1	48.6	0.00
8/1/2012	514.46	151.0	48.7	0.00
8/2/2012	514.51	169.2	48.7	0.00
8/3/2012	514.54	118.1	48.7	0.42
8/4/2012	514.57	163.7	48.7	0.15
8/5/2012	514.63	306.3	48.8	0.67
8/6/2012	515.23	1,462.3	49.0	0.15
8/7/2012	516.34	2,903.4	143.1	0.00
8/8/2012	516.33	2,035.7	1,549.8	0.00
8/9/2012	515.94	511.4	1,653.1	0.00
8/10/2012	515.48	382.2	1,647.9	0.00
8/11/2012	515.37	929.8	1,508.1	0.00
8/12/2012	515.35	251.1	166.1	0.00
8/13/2012	515.38	161.6	64.7	0.00
8/14/2012	515.46	287.6	64.8	0.35
8/15/2012	515.49	130.4	64.8	0.00
8/16/2012	515.52	141.6	64.8	0.00
8/17/2012	515.60	292.2	111.6	0.96
8/18/2012	515.49	197.1	537.9	0.00
8/19/2012	515.35	161.3	500.9	0.00
8/20/2012	515.35	107.1	74.8	0.00
8/21/2012	515.36	73.8	64.7	0.00
8/22/2012	515.37	92.1	64.7	0.00
8/23/2012	515.37	64.7	64.7	0.00
8/24/2012	515.36	57.4	64.7	0.00
8/25/2012	515.36	64.7	64.7	0.00
8/26/2012	515.35	57.4	64.7	0.00
8/27/2012	515.35	68.4	64.7	0.18
8/28/2012	515.38	124.1	64.7	0.00
8/29/2012	515.37	45.5	64.7	0.00
8/30/2012	515.43	192.5	64.7	0.00
8/31/2012	515.43	105.0	64.8	0.00
9/1/2012	515.43	64.8	64.8	0.05
9/2/2012	515.42	92.1	64.8	0.05
9/3/2012	515.63	607.4	105.5	2.58
9/4/2012	515.52	194.9	531.9	0.05
9/5/2012	515.44	314.5	551.9	0.10
9/6/2012	515.44	250.6	198.0	0.20
9/7/2012	515.44	143.7	154.1	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/8/2012	515.58	252.9	160.7	0.90
9/9/2012	515.68	767.2	161.0	0.11
9/10/2012	515.74	329.1	161.2	0.00
9/11/2012	515.75	208.7	161.2	0.00
9/12/2012	515.75	163.5	198.3	0.00
9/13/2012	515.62	179.8	571.6	0.00
9/14/2012	515.32	122.2	1,077.9	0.00
9/15/2012	515.11	117.5	649.6	0.00
9/16/2012	515.08	70.0	92.8	0.00
9/17/2012	515.08	88.7	85.1	0.30
9/18/2012	515.10	204.5	155.2	0.51
9/19/2012	515.07	40.8	160.1	0.00
9/20/2012	515.01	11.1	160.0	0.00
9/21/2012	514.96	2.9	160.0	0.00
9/22/2012	514.90	12.8	159.9	0.00
9/23/2012	514.85	17.2	159.8	0.00
9/24/2012	514.81	37.6	159.7	0.00
9/25/2012	514.73	0.0	159.6	0.00
9/26/2012	514.69	36.4	159.5	0.00
9/27/2012	514.85	557.4	192.1	0.13
9/28/2012	514.85	490.1	580.2	0.26
9/29/2012	514.65	505.0	1,089.7	0.38
9/30/2012	514.46	487.4	1,111.6	0.00
10/1/2012	514.20	403.8	1,110.0	0.08
10/2/2012	513.97	512.8	1,108.4	0.72
10/3/2012	513.75	399.5	1,053.6	0.03
10/4/2012	513.74	569.0	561.9	0.00
10/5/2012	513.72	499.7	544.9	0.00
10/6/2012	513.65	346.7	544.7	0.31
10/7/2012	513.54	278.6	544.3	0.00
10/8/2012	513.44	264.2	543.9	0.00
10/9/2012	513.33	239.5	543.5	0.00
10/10/2012	513.22	253.0	543.1	0.00
10/11/2012	513.10	186.4	542.6	0.00
10/12/2012	512.95	147.7	542.0	0.00
10/13/2012	512.84	189.5	503.9	0.00
10/14/2012	512.78	82.3	166.9	0.00
10/15/2012	512.77	74.9	186.1	0.05
10/16/2012	512.66	219.4	577.0	0.00



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/17/2012	512.30	68.0	1,081.9	0.00
10/18/2012	512.00	143.5	1,145.1	0.60
10/19/2012	511.41	153.2	1,592.4	0.00
10/20/2012	510.86	51.2	1,600.6	0.02
10/21/2012	510.40	135.9	1,233.2	0.00
10/22/2012	510.05	138.6	1,081.2	0.00
10/23/2012	509.67	196.3	1,078.5	0.00
10/24/2012	509.29	68.0	1,075.5	0.00
10/25/2012	508.93	129.7	1,158.4	0.00
10/26/2012	508.44	99.0	1,210.5	0.00
10/27/2012	508.09	212.5	1,065.8	0.42
10/28/2012	507.71	113.2	1,062.9	0.00
10/29/2012	507.29	84.9	1,059.6	0.00
10/30/2012	506.88	108.8	1,056.4	0.00
10/31/2012	506.48	50.5	1,053.0	0.00
11/1/2012	506.08	92.4	1,049.8	0.00
11/2/2012	505.67	112.9	1,046.6	0.00
11/3/2012	505.28	123.8	1,043.4	0.00
11/4/2012	504.86	97.9	1,040.2	0.00
11/5/2012	504.42	72.5	1,036.7	0.00
11/6/2012	503.99	77.2	1,033.2	0.00
11/7/2012	503.58	119.0	1,029.9	0.00
11/8/2012	503.14	122.3	1,026.5	0.05
11/9/2012	502.72	98.3	1,023.1	0.00
11/10/2012	502.28	70.5	1,019.5	0.00
11/11/2012	501.82	63.8	1,015.9	0.00
11/12/2012	501.42	110.2	1,012.4	0.46
11/13/2012	501.06	300.8	1,009.6	0.35
11/14/2012	500.59	115.8	1,006.1	0.00
11/15/2012	500.16	129.8	1,002.7	0.00
11/16/2012	499.75	185.2	999.3	0.00
11/17/2012	499.31	164.9	995.9	0.00
11/18/2012	498.88	93.5	992.3	0.00
11/19/2012	498.40	108.1	988.6	0.00
11/20/2012	497.93	106.6	984.9	0.00
11/21/2012	497.44	62.2	928.8	0.00
11/22/2012	497.38	66.5	115.2	0.00
11/23/2012	497.41	118.3	51.4	0.00
11/24/2012	497.43	89.5	51.4	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/25/2012	497.46	104.5	51.5	0.00
11/26/2012	497.47	80.3	51.5	0.00
11/27/2012	497.56	223.4	51.5	0.85
11/28/2012	497.61	117.3	51.6	0.00
11/29/2012	497.65	126.6	51.6	0.00
11/30/2012	497.69	139.3	51.6	0.00
12/1/2012	497.74	140.5	51.7	0.00
12/2/2012	497.76	90.9	51.7	0.00
12/3/2012	497.81	121.0	51.7	0.03
12/4/2012	497.12	42.7	1,616.8	0.00
12/5/2012	495.37	156.8	3,282.4	0.91
12/6/2012	493.87	14.5	2,479.9	0.00
12/7/2012	492.91	133.2	1,498.3	0.30
12/8/2012	492.76	283.7	522.9	0.08
12/9/2012	492.71	425.0	478.2	0.40
12/10/2012	493.35	1,195.1	479.1	1.70
12/11/2012	494.49	2,301.7	482.0	0.05
12/12/2012	495.60	2,499.7	485.7	0.00
12/13/2012	495.28	1,438.4	2,039.6	0.00
12/14/2012	494.31	768.7	2,383.9	0.00
12/15/2012	493.60	569.5	1,628.1	0.00
12/16/2012	493.07	536.3	1,412.7	0.11
12/17/2012	492.47	499.2	1,406.9	0.08
12/18/2012	492.30	519.8	708.5	0.22
12/19/2012	492.34	551.0	477.0	0.00
12/20/2012	492.37	580.8	477.1	0.51
12/21/2012	492.98	1,306.6	515.6	0.48
12/22/2012	493.35	1,398.7	962.1	0.00
12/23/2012	493.16	1,220.6	1,391.8	0.00
12/24/2012	492.73	746.4	1,362.1	0.14
12/25/2012	492.54	646.2	952.0	0.00
12/26/2012	492.46	755.2	939.6	0.86
12/27/2012	492.82	1,464.6	999.1	0.15
12/28/2012	492.62	1,460.7	1,805.8	0.05
12/29/2012	492.42	1,276.8	1,524.2	0.44
12/30/2012	492.32	1,231.3	1,355.3	0.00
12/31/2012	492.45	1,173.2	948.8	0.00