

USARC G-6 Addendum to ARNEC CHG3

Telcommunications Outlet Table

NOTE: Provide Wireless Access Point (WAP) and Wireless Intrusion Detection (WID) Outlets for each building/space Per ARNEC Section 2.4.9

Training Building

Space Name/Type/Function	Outlet Type	Jack Qty.	Outlet Qty.	Notes
Administrative Offices (Full-Time and Exclusive)	Standard	1	2	1 outlet for workstation and one outlet on opposite or adjacent wall
General Officer Suite	Standard	1	2	1 outlet for workstation and one outlet on opposite or adjacent wall
Unit Commons (Full-Time Cubicle)	Standard	1	Varies	1 outlet per workstation
Unit Commons (Benching Table)	Standard	1	1	Located on nearest wall
Unit Commons (Printer-Copier)	MFD	2	Varies	1 outlet for each Printer/MFD device
Retention Office	Standard	1	2	1 outlet for workstation and one outlet on opposite or adjacent wall
Career Counselor Office (ARCC)	Standard	1	2	1 outlet per workstation
Family Support Office	Standard	1	2	1 outlet for workstation and one outlet on opposite or adjacent wall
Mail Distribution Room	Standard	2	1	Located adjacent to mail machine
Entrance Facility	None Required	N/A	N/A	N/A
Telecommunications Equipment Room	None Required	N/A	N/A	N/A
Telecommunications Room	None Required	N/A	N/A	N/A
IT Work Space	Standard	1	Varies	Continuous metal raceway extending the full length of the work surface with telecommunications outlets at 6 in (150 mm) on center
Lobby	Wall Phone	1	1	Located just inside main door on side wall
Assembly Hall	Standard	2	1	Located near instructor location
Chair and Table Storage	None Required	N/A	N/A	N/A
Kitchen Administrative Office	Standard	1	2	1 outlet for workstation and one outlet on opposite or adjacent wall
Arms Vault	IDS	Provide per ARNEC section 2.8		
Armors Room	Standard	1	2	1 outlet for workstation and one outlet on opposite or adjacent wall
Main Classroom	Standard	1	Varies	1 outlet per student location (located on wall if wall outlets can be located within 12 feet laterally of student seats, otherwise provide floor boxes (combined with power) for each student seat)
Main Classroom	Standard	2	1	Located near instructor location
Secondary Classroom	Standard	2	1	Located near instructor location
Team Room	Standard	1	1	Located on same wall as television
Team Room (SIPR-In-A-Box)	Standard	1	1	Located immediately adjacent to planned location of IPS container
Learning Center	Standard	1	Varies	1 outlet per workstation
Comsec Storage	Standard	1	1	Located immediately adjacent to planned location of IPS container
Unit Storage	Wall Phone	1	1	Located just inside main interior door to adjacent hallway
Staging Area	None Required	N/A	N/A	N/A
Supply Office	Standard	1	4	1 outlet for workstation
Custodial/Janitorial	None Required	N/A	N/A	N/A
Flammable Storage	None Required	N/A	N/A	N/A
Controlled Waste Storage	None Required	N/A	N/A	N/A

Training Building

Space Name/Type/Function	Outlet Type	Jack Qty.	Outlet Qty.	Notes
Facility Maintenance Storage	None Required	N/A	N/A	N/A
Simulator Room	Standard	1	2	One outlet located near the simulator pump and one on the wall behind the table
Conference Room	Standard	1	1	Located on same wall as television
Physical Readiness Training	Wall Phone	1	1	Located just inside main entry door
Distance Learning Center	Standard	1	Varies	Coordinate locations and quantities with Distance Learning Manager
Male and Female Toilets/Showers	None Required	N/A	N/A	N/A
Male and Female Locker Rooms	Wall Phone	1	1	Located just inside main entry door
Vending Alcove	None Required	N/A	N/A	N/A
Break Area	None Required	N/A	N/A	N/A
Mechanical Room	DDC	1	1	Located near JACE device
Mechanical Room	Standard	1	1	1 outlet per workstation
Electrical	None Required	N/A	N/A	N/A
Circulation	None Required	N/A	N/A	N/A
Stairs	None Required	N/A	N/A	N/A
Secret - Controlled Access Area	Provide per ARNEC Section 2.7			
Lactation Room	None Required	N/A	N/A	N/A
Elevator	Provide per UFC 3-490-06 Elevators			
Elevator Equipment Room	Provide per UFC 3-490-06 Elevators			

Vehicle Maintenance Shop (VMS)

Space Name/Function	Outlet Type	Jack Qty.	Outlet Qty.	Notes
Shop Office	Standard	1	Varies	1 outlet per workstation
Shop Office	MFD	1	Varies	1 outlet for each Printer/MFD device
Male and Female Toilets	None Required	N/A	N/A	N/A
Tool and Parts Room	Standard	1	1	Located near automated inventory device
Storage Room	Standard	1	1	Located near automated inventory device
Special Equipment Alcove	None Required	N/A	N/A	N/A
Battery Room	None Required	N/A	N/A	N/A
Flammable Storage	None Required	N/A	N/A	N/A
Controlled Waste Storage	None Required	N/A	N/A	N/A
Workbays	Wall Phone	1	1	Located just inside main interior door to adjacent hallway
Mechanical/Electrical	DDC	1	1	Located near JACE device
Telecommunications Room	None Required	N/A	N/A	N/A
Custodial/Janitorial	None Required	N/A	N/A	N/A
Fluid Distribution Room	None Required	N/A	N/A	N/A